Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1286	((inner and outer) adj conductors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:40
L2	296	tubular and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:43
L3	1	(plasma adj physics) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:43
L4	2	struts and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:47
L5	1	((male and female) adj interface) and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:47
S1	0	("cableadjinstallation").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:21
S2	2609	cable adj installation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:22

S3	1030	cable adj grip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:25
S4	14	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 17:22
S5	162	installation and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:26
S6	2471	(high adj voltage) and (coaxial adj cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:39
S7	10	(cooling adj (meduim or liquid)) and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 16:36
S8	8	("3292016" | "3902000" | "4745313").PN. OR ("6049036").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 16:30
S9	11	("3728463" | "4015168" | "4306266" | "4910626" | "5140290" | "5475560" | "5546261" | "6005194" | "6049036" | "6262375" | "6529010").PN. OR ("6743984").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/18 16:33
S10	25	struts and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/18 18:46

| S11 | 27 | ("3187208" \| "3274526" \| "3505608" \| "3568035" \| "3611032" \| "3781639" \| "4338657" \| "4559590" \| "4587606" \| "4777406" \| "4807105").PN. OR ("5023768").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/05/18 16:45 |